

Telangana State Information Commission

(Under Right to Information Act, 2005)
D.No.5-4-399, Samachara Hakku Bhavan (Old ACB Building),
Mojam-jahi-Market, Hyderabad – 500001.
Phone: 24740155 Fax: 24740592

Appeal No: 6451/SIC-SK/2020

Date: - 16-09-2021

Appellant : Sri G. Vijay Kumar,
Rangareddy District.

Respondents : Public Information Officer
(U/RTI Act, 2005)
O/o the Municipal Commissioner,
Kamareddy Municipality,
Kamareddy District.

First Appellate Authority
(U/RTI Act, 2005)
O/o the Municipal Commissioner,
Kamareddy Municipality,
Kamareddy District.

Order

Sri G. Vijay Kumar, Rangareddy District has filed 2nd appeal dated: 07-08-2020 which was received by this Commission on 10-08-2020 for not getting the information sought by him from the PIO / O/o the Municipal Commissioner, Kamareddy Municipality, Kamareddy District and 1st Appellate Authority / O/o the Municipal Commissioner, Kamareddy Municipality, Kamareddy District.

The brief facts of the case as per the appeal and other records received along with it are that the appellant herein filed an application dated: 13-03-2020 before the PIO requesting to furnish the information under Sec. 6(1) of the RTI Act, 2005, on the following points mentioned in his application:

1. మీ పురపాలక సంఘం పరిధిలోని ప్రభుత్వ భూమి వివరాలు , సర్వే నంబర్లు , నిర్మాణం , సరిహద్దుల వివరాలు ఇవ్వగలరు.
2. పురపాలక సంఘానికి సంబంధించిన భూముల్లో ఏటివైనా లీజు ప్రాతిపదికన కానీ , అదాయం కోసం కానీ , ప్రభుత్వ అవసరాలకోసం కానీ , లేదా ఇతర అవసరాల కోసం కానీ ఇప్పటికే కేటాయించడం జరిగితే ఆ పూర్తి వివరాలు ఇవ్వగలరు . ఈ భూముల ద్వారా ఏమైనా అదాయం, సమకూరత , వాటి వివరాలు , వాటి ఖర్చు వివరాలు కూడా ఇవ్వగలరు
3. పురపాలక సంఘం పరిధిలో డంప యార్డ్ ఏర్పాటు చేయాలంటే ప్రస్తుతం ఉన్న మార్గదర్శకాలు ఏమిటి ? ఎంపిక ప్రక్రియ , నిర్మాణం , నిర్మాణ భాద్యుల ఎంపిక , నిధులకు సంబంధించిన పూర్తి వివరాలు ఇవ్వగలరు.
4. పురపాలక సంఘం పరిధిలో ఇప్పటికే డంప యార్డ్ ఏర్పాటు చేయడం జరిగితే ఏవి మార్గదర్శకాల ప్రకారం ప్రస్తుత ప్రదేశాన్ని / స్థలాన్ని ఎంపిక చేశారు . పరిసర ప్రాంత ప్రజల నుండి అభిప్రాయసేకరణ జరిగిందా ? వివరాలు ఇవ్వగలరు.
5. పురపాలక సంఘం పరిధిలో నూతనంగా డంప యార్డ్ ఏర్పాటు చేయాలనుకుంటే దాని ఎంపికకు సంబంధించి పురపాలక సంఘం అనుసరించిన విధానాన్ని , దానికి సంబంధించిన సమాచార వివరాలు , వాటి మినీక్స్ , మరియు తీర్మానము ప్రతులు తేడీలతో సహా ఇవ్వగలరు .

And more few points.

Stating that the appellant did not receive the information from the PIO, the appellant filed 1st appeal dated: 11-06-2020 before the 1st Appellate Authority requesting him to furnish the information sought by him u/s 19(1) of the RTI Act.

Stating that the appellant did not get the information from the PIO / 1st Appellate Authority even after 30 days of filing his 1st appeal, he preferred this 2nd appeal before this Commission requesting to take action against the PIO and 1st Appellate Authority for not furnishing information sought by him and also to arrange to furnish the information sought by him u/s 19(3) of the RTI Act, 2005.

In view of the above, the 2nd appeal may be taken on file and Notices issued to both the parties for hearing on 16-09-2021 at 12:00 P.M.

The case is called on 16-09-2021. The appellant is absent. The PIO / Sri M. Devadasu, Sanitary Inspector, O/o the Municipal Commissioner, Kamareddy Municipality, Kamareddy District is present and stated that the information was furnished to the appellant vide letter No: F1/552/2021-22 dated: 13-09-2021 and filed a copy of the information furnished along with the postal receipt before the Commission.

Perused the material papers available on record and observed that the appellant filed 6(1) application dated: 13-03-2020 seeking information on 8 points.

The Commission took a serious view against the PIO for not furnishing the information to the appellant within the stipulated period of 30 days as per Section 7(1) of the RTI Act 2005. The Commission warns the PIO not to repeat such lapses in future and strictly adhere to the provisions of the RTI Act 2005.

Since the information is furnished, the appeal is closed.

SYED KHALEELULLAH
STATE INFORMATION COMMISSIONER

Authenticated by:

Section Officer
Copy to: SO / SF / OC